

# 000-268

## IBM

### *i5 iSeries RPG ILE Programmer*

Visit: <http://www.pass4sureofficial.com/exams.asp?examcode=000-268>

Pass4sureofficial.com is a reputable IT certification examination guide, study guides and audio exam provider, we not only ensure that you pass your 000-268 exam in first attempt, but also you can get a high score to acquire IBM certification.

If you use pass4sureofficial 000-268 Certification questions and answers, you will experience actual 000-268 exam questions/answers. We know exactly what is needed and have all the exam preparation material required to pass the exam. Our IBM exam prep covers over 95% of the questions and answers that may be appeared in your 000-268 exam. Every point from pass4sure 000-268 PDF, 000-268 review will help you take IBM 000-268 exam much easier and become IBM certified. All the Questions/Answers are taken from real exams.

Here's what you can expect from the Pass4sureOfficial IBM 000-268 course:

- \* Up-to-Date IBM 000-268 questions taken from the real exam.
- \* 100% correct IBM 000-268 answers you simply can't find in other 000-268 courses.
- \* All of our tests are easy to download. Your file will be saved as a 000-268 PDF.
- \* IBM 000-268 brain dump free content featuring the real 000-268 test questions.

IBM 000-268 certification exam is of core importance both in your Professional life and IBM certification path. With IBM certification you can get a good job easily in the market and get on your path for success. Professionals who passed IBM 000-268 exam training are an absolute favorite in the industry. You will pass IBM 000-268 certification test and career opportunities will be open for you.



Exam Name:	i5 iSeries RPG ILE Programmer		
Exam Type:	IBM	Exam Code:	000-268
Doc Type:	Q & A with Explanations	Total Questions:	95

**Question: 1**

Review the following sample subfile:

```

+-----+
| Option  Data |
|-----|
|  || Record 1 |
|  || Record 2 |
| |X| Record 3 |
|  || Record 4 |
+-----+

```

The SFLNXTCHG keyword was inactive when Record 1 was written and active when each subsequent subfile record was written. The operator has entered the "X" in the option field for Record 3. Which subfile record will be read when the next READC operation is performed on the subfile?

- A. 1
- B. 2
- C. 3
- D. 4

**Answer: B**

**Question: 2**

Given the following code segment

```

AAN01N02 N03T.Name+++++RLen++TDpBLinPosFunctions+++++
A   R D1SF          SFL
A   OPTNBR         1A B 10 3
A   SCNDDTA        50A O 10 7
A   R D1SC          SFLCTL(D1SF)
A 79                SFLDSP
A 81                SFLDSPCTL
A                   SFLSIZ(1000)
A                   SFLPAG(0011)
A                   9 2'Opt Data

```

What DDS keyword needs to be added to this code segment to remove all of the records from the subfile?

- A. SFLCLR
- B. SFLDLT
- C. SFLRMV
- D. SFLINZ

**Answer: A**

**Question: 3**

Given the following code segment

<b>Exam Name:</b>	<b>i5 iSeries RPG ILE Programmer</b>		
<b>Exam Type:</b>	<b>IBM</b>	<b>Exam Code:</b>	<b>000-268</b>
<b>Doc Type:</b>	<b>Q &amp; A with Explanations</b>	<b>Total Questions:</b>	<b>95</b>

```

0001.00  D DateField      S          D  DATFMT(*ISO)
0002.00  D CharField     S          6A  INZ('040696')

0003.00  C  *MDY        MOVE  CharField  DateField

```

This code will not compile. Which of the following changes will allow a successful compile?

- A. Change line 0001.00 to: D DateField S D DATFMT(\*MDY)
- B. Change line 0003.00 to: C \*MDY0 MOVE CharField DateField
- C. Change line 0003.00 to: C \*MDY MOVE(D) CharField DateField
- D. Change line 0003.00 to: C \*130 MOVE CharField DateField

**Answer: B**

**Question: 4**

Given the following code segment

```

CLON01Factor1+++++++Opcode(E)+Factor2+++++++Result+++++++Len++D+HiLoEq
C  CODE          CASEQ  1          SRONE
C  CODE          CASEQ  2          SRTWO
C           CAS           SRTHREE
C           END

```

W

Which of the following code segments will perform the equivalent function?

- A. /FREE Select CODE; WHEN = 1; ExSr SRONE; WHEN = 2; ExSr SRTWO; Other; ExSr SRTHREE; EndSI; /END-FREE
- B. /FREE Select; WHEN CODE = 1; ExSr SRONE; WHEN CODE = 2; ExSr SRTWO; Other; ExSr SRTHREE; EndSI; /END-FREE
- C. /FREE Select CODE; 1; ExSr SRONE; 2; ExSr SRTWO; Other; ExSr SRTHREE; EndSI; /END-FREE
- D. /FREE Select WHEN CODE; Other; ExSr SRTHREE; EndSI; /END-FREE
- E. /FREE Select WHEN CODE; 1; EndSI; /END-FREE
- F. /FREE Select WHEN CODE; 1; ExSr SRONE; /END-FREE
- G. /FREE Select WHEN CODE; 1; ExSr SRONE; 2;
- H. /FREE Select WHEN CODE; 1; ExSr SRONE; 2; ExSr SRTWO;
- I. /FREE Select WHEN CODE; 1; ExSr SRONE; 2; ExSr SRTWO; Other; Select WHEN CODE; 1; ExSr SRONE; 2; ExSrSRTWO; Other; ExSrSRTHREE; EndSI; 1; ExSrSRONE; 2; ExSr SRTWO; Other; ExSr SRTHREE; EndSI; /END-FREE ExSr SRONE; 2; ExSr SRTWO; Other; ExSr SRTHREE; EndSI; /END-FREE 2; ExSr SRTWO; Other; ExSr SRTHREE; EndSI; /END-FREE

**Answer: B**

**Question: 5**

In the following code sample, file CUSSALES contains a record format CUSSALESR, with unique key fields CSCONO, CSCSNO and CSYEAP.

Exam Name:	i5 iSeries RPG ILE Programmer		
Exam Type:	IBM	Exam Code:	000-268
Doc Type:	Q & A with Explanations	Total Questions:	95

```

fcussales  if  e          k disk

d keycus          e ds          extname(cussales:*key)

/free

      cscsno = 3;          // company
      cscsno = 100;       // customer
      csyear = 2003;      // year

      setgt %kds(keycus)   cussalesr;
      reade %kds(keycus: 2) cussalesr;

/end-free

```

Assuming the READE operation is successful, which record is retrieved?

- A. The first record with a company greater than 3
- B. The first record for company 3, with a customer greater than 100
- C. The first record for company 3, customer 100
- D. The first record for company 3, customer 100 with a year greater than 2003

**Answer: D**

**Question: 6**

Given the following expression:

$$\text{TotalReturnPct} = \left( \frac{\text{SoldAmt} + \text{Dividends}}{\text{PaidAmt} + \text{Commissions}} - 1 \right) * 100$$

Which /free form expression below is correct?

- A. /free TotalReturnPct = ((SoldAmt + Dividends) / (PaidAmt + Commissions) - 1) \* 100; /end-free
- B. /free TotalReturnPct = (SoldAmt + Dividends) / (PaidAmt + Commissions) - 1 \* 100; /end-free
- C. /free TotalReturnPct = (SoldAmt + Dividends / PaidAmt + Commissions - 1) \* 100; /end-free
- D. /free TotalReturnPct = ((SoldAmt + Dividends) / PaidAmt + Commissions - 1) \* 100; /end-free

**Answer: A**

**Question: 7**

Given the following code segment

```

d CusInfo      ds          dim(10) qualified
d  CusNum      5 0
d  AmtDue      7 2
d  OrdYTD      7 2
d  OrdPrv      7 2

```

How would the AmtDue subfield for the 5th element of the CusInfo array be referenced?

- A. AmtDue(5)

<b>Exam Name:</b>	<b>i5 iSeries RPG ILE Programmer</b>		
<b>Exam Type:</b>	<b>IBM</b>	<b>Exam Code:</b>	<b>000-268</b>
<b>Doc Type:</b>	<b>Q &amp; A with Explanations</b>	<b>Total Questions:</b>	<b>95</b>

- B. CusInfo(5).AmtDue
- C. CusInfo.AmtDue(5)
- D. CusInfo(5).AmtDue(5)

**Answer: B**

**Question: 8**

Given the following code segment:

```

DName+++++++ETDsFrom+++To/L+++IDc.Keywords+++++++
D ObjNameDS      DS      qualified
D  Lib           10      Inz('*libl')
D  Name          10      Inz('OBJA')

D PgmNameDS      DS      LikeDS(ObjNameDS) Inz(*LIKEDS)
D Result         S       20

/Free
  ObjNameDS.Lib = 'QGPL';
  PgmNameDS.Name = 'PGMA';
  Result = PgmNameDS;
/End-Free

```

After this code runs, what is the value of Result?

- A. OBJA
- B. 'libl PGMA
- C. QGPL OBJA
- D. QGPL PGMA

**Answer: B**

**Question: 9**

Procedure PROC 1 in a Service Program must be called passing to it a 5 position field. Which of the following code segments will accomplish this task?

- A. D AField S 5A C CallPrc PROC1' C ParmAField
- B. D AField S 5A C Call 'PROC1' C Parm AField
- C. D Prodl PR D MyField 5A D AField S 5A C CallP Proc1(AField)
- D. D Proc 1 PR ExtPgm('PROC1') D MyField 5A D AField S 5A C CallP Proc1(AField)

**Answer: C**

**Question: 10**

Given the following field definitions, if field mmddy contains a date in MDY format, what is the correct syntax to populate DateFld with the content of mmddy?

```

D mmddy S 6A
D DateFld S D Inz(D'2003-06-27') DatFmt(*ISO)

```

- A. DateFld = %Date(mmddy: \*MDY);
- B. DateFld = %Date(mmddy: \*MDY0);
- C. DateFld = %Date(mmddy: \*ISO);
- D. DateFld = %Date(mmddy: \*ISO0);

**Answer: B**

## Pass4SureOfficial.com Lifetime Membership Features;

- Pass4SureOfficial Lifetime Membership Package includes over **2500** Exams.
- **All** exams Questions and Answers are included in package.
- **All** Audio Guides are included **free** in package.
- **All** Study Guides are included **free** in package.
- **Lifetime** login access.
- Unlimited download, no account expiry, no hidden charges, just one time \$99 payment.
- **Free updates** for Lifetime.
- **Free Download Access** to All new exams added in future.
- Accurate answers with explanations (If applicable).
- Verified answers researched by industry experts.
- Study Material **updated** on regular basis.
- Questions, Answers and Study Guides are downloadable in **PDF** format.
- Audio Exams are downloadable in **MP3** format.
- **No authorization** code required to open exam.
- **Portable** anywhere.
- 100% success **Guarantee**.
- **Fast**, helpful support 24x7.

View list of All exams (Q&A) downloads

<http://www.pass4sureofficial.com/allexams.asp>

View list of All Study Guides (SG) downloads

<http://www.pass4sureofficial.com/study-guides.asp>

View list of All Audio Exams (AE) downloads

<http://www.pass4sureofficial.com/audio-exams.asp>

Download All Exams Samples

<http://www.pass4sureofficial.com/samples.asp>

To purchase \$99 Lifetime Full Access Membership click here

<http://www.pass4sureofficial.com/purchase.asp>

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	SNIA	

